

HATCRETE

INDUSTRIAL FLOORING

Product Catalogue
2020



HATCRETE
COLOUR TECHNOLOGY FOR CONCRETE



ABOUT HATCRETE

Our reputation for quality products, unrivalled technical support & integrity in everything we do has been earned over the last 30 years, during which time we have worked in the industrial flooring industry alongside influential architects, engineers & professionals installers on some of the highest profile projects throughout the UK.

The business principles employed at the outset of the business remain the priority focus today, with our dedicated professionals in all departments leaving no stone left unturned in the pursuit of providing the highest quality products combined with unequalled customer service, technical support and availability of products.

The Hatcrete range of industrial flooring materials & colour systems for concrete was introduced into the UK by the Hatfield family way back in the 1980s.

It is reassuring to witness that many of the flooring contractors, architects and clients are still specifying & using the Hatcrete services and products some 35 years on.

With UK manufacturing facilities based in Littlehampton, West Sussex and busy depots in Sheffield, Manchester & Newbury we are able to respond quickly to supply demands of all contractors, often to strict deadlines, no matter the size of the project.





*UK Manufacturer
Since*



Manufacturing

2019



HATCRETE CURING AGENTS



Hatcrete cure & seal SB (Solvent)

A high performance curing agents / sealers Improving the abrasion resistance for all forms of freshly laid or existing concrete.

*suitable for heavily trafficked areas & increasing curing efficiency of freshly laid concrete floors.

*Seals and protects concrete

*reduces surface dusting

*Non-yellowing & weather resistant

*87% Curing Efficiency

Hatcrete Cure & seal WB (Water based)

A transparent, acrylic polymer resin. it is hard wearing sealing solution, improving the abrasion resistance for all forms of freshly laid or existing concrete.

*it also increases curing efficiency for freshly laid slabs.

*Seals & protects concrete & screed

*Reduces dusting

*Non-yellowing & weather resistant

*Easy to clean, water based emulsion

*84% Curing Efficiency

HATCRETE CURE & SEAL SB

SOLVENT BASED

£81.00 PER 25LTR DRUM

£648.00 PER 200LTR DRUM





HATCRETE CURE & SEAL WB

WATER BASED

£67.50 PER 25LTR DRUM

£540 PER 200LTR DRUM

HATCRETE SELF-COMPACTING CURING AGENT

WATER BASED

£30.00 PER 10LTR DRUM

£75.00 PER 25LTR DRUM

HATCRETE CURE & SEAL SB 90%

SOLVENT BASED

£101.00 PER 25LTR DRUM

£808.00 PER 200LTR DRUM

Self compacting Cure special properties

*AIDS Curing

*Slows surface drying

*Reduces chances of plastic cracking

*Suitable for interior or exterior use

*84% Curing Efficiency

*Conforms with ASTM C-309 & ASTM C-156

*Leaves an acrylic, none waxy membrane

HATCRETE INDUSTRIAL DRY SHAKE



HATCRETE FIBRE SUPPRESSANTS

1000KG OR 25KG BAGS

£20.00 PER 25KG

£400 PER TONNE

HATCRETE COLOURED DRY SHAKES

1000KG OR 25KG BAGS

£25.00 PER 25KG

£600 PER TONNE



HATCRETE

Colour Hardener

Industrial Hardener (quartz)

A dry shake material for surface colouring and hardening freshly placed concrete.

HATCRETE
INDUSTRIAL FLOORING

COLOUR TECHNOLOGY FOR CONCRETE



Colours shown are approximations of HATCRETE® colours cured and sealed with HATCRETE® Clear Sealer

**special order - minimum 5 bags.

HATCRETE® Colour Release Range



MANUFACTURED BY: PATTERN IMPRINTED CONCRETE SUPPLIES LIMITED
Unit 2, Red Shute Hill Ind. Est. Hermitage, Nr Newbury, Berkshire RG18 9QL
Tel: +44 (0) 1635 202224 Fax: +44 (0) 1635 202230 e-mail: info@picsuk.com Web: www.picsuk.com



FM27153



HATCRETE
INDUSTRIAL FLOORING



HATCRETE REPAIR



Hatcrete Repair Mortar

£21.75 PER 25KG BAGS 1 - 10

£16.50 PER 25KG BAGS 11 - 39

£12.50 PER 25KG BAGS 40 - 80

REPAIR MORTAR SPECIAL PROPERTIES

*Less shrinkage

*Reduced laitance

*Strong & hard wearing

*Used with depths between 1mm - 25mm

*Can be pre-coloured to match floors

HATCRETE COLOURMIX



Hatcrete Colourmix is not a conventional concrete dye or concrete pigment & has totally superseded other methods of colouring concrete.

It is a precision manufactured concrete admixture with stringently controlled properties which displays numerous advantages over basic concrete dye & concrete pigments.

- * Ready to use accurate dosages
- * Available in 23 standard colours
- * Custom colours made to order
- * Colour consistency guaranteed
- * Increases concrete strength
- * Absolute minimal wash down requirements

Hatcrete Colourmix concrete colour is pre-weighed & packaged within a water-soluble bag. each bag is sufficient to colour 1 cubic metre of concrete.

Hatcrete colourmix is UV stable so wont fade over time unlike raw pigments.

Hatcrete colourmix used on the following types of installation.

- * Brush finished concrete
- * Industrial flooring (Power trowelled)
- * Polished concrete
- * Exposed aggregate



HATCRETE

Colourmix

A coloured admixture for
producing integral colour in concrete.



COLOUR TECHNOLOGY FOR CONCRETE

			
Whitby Buff	Damson Frost	Cotswold	Agate
			
Sienna	Sandalwood	Felspar	Fernwood
			
Burnt Plum	Smokestone	Walrus	Bracken
			
Everglade	Bitter Briar	Amber	Saddle
			
Pebblestone	Harvest Gold	Blenheim Brown	Pewter
			
Raven Grey	Stanton Red	Stone Buff	Autumn Malt

Colours shown are approximations of HATCRETE® Colourmix in a typical concrete using mid grey Portland cement and having an as-cast surface. The final colour is affected by many influences. Always refer to Technical Data TD 12.

MANUFACTURED BY: PATTERN IMPRINTED CONCRETE SUPPLIES LIMITED
Unit 2, Red Shute Hill Ind. Est. Hermitage, Nr Newbury, Berkshire RG18 9QL
Tel: +44 (0) 1635 202224 Fax: +44 (0) 1635 202230 e-mail: info@picsuk.com Web: www.picsuk.com





Unit 2 Red shute Hill ind est

Hermitage

Newbury

RG18 9QL

www.hatcrete.com

01635 202224

