



PLUMBING PRODUCTS

Sustainable building products to suit plumbing requirements

timloc
building products

NEXT DAY DELIVERY

ON ALL ORDERS PLACED BEFORE 12PM

All orders placed before 12pm Monday - Friday will be delivered the next working day. Applicable to standard stock items only, please see individual product pages for more information.

LOW CARRIAGE PAID ORDER VALUES



**£100
TO BRANCH**

**£150
TO SITE**

CONTENTS



Radiator Pipe Guide & Seals

Rad-Seal 10	5
Rad-Seal 15	5
Rad-Seal Recessed	5



Access Panels

Plastic Access Panels	7
Airtight Plastic Access Panels	8
Z-Series Metal Access Panels	9
Metal 1 Hour Fire-Rated Access Panels	10



Through Wall Ventilation

External Cowls	12
Internal Plastic Grilles	12
Internal Metal Grilles	13
Aero Core Anti-Draught Ventilators	13
Cavity Sleeves	14
Airbrick	14

Meter Boxes

Electric Meter Box Recessed	16
Electric Meter Box Surface Mounted	16
Electric Meter Box 3 Phase Recessed	17
Electric Meter Box 3 Phase Surface Mounted	17
Gas Meter Box Recessed	18
Gas Meter Box Surface Mounted	18
Gas Meter Box Universal Smart	19
Hockey Sticks	20
Replacement Parts	20





RAD-SEAL

by **timloc**

Radiator pipe **guide & seals**



RAD-SEAL

by timloc

Face-fixed and recessed radiator pipe guide and seals designed to eliminate potential air leakage and heat loss at vulnerable through-wall radiator pipework entry points.



RAD-SEAL 10



Face-fix radiator pipe guide and seal for 10mm pipework.

Product Code	Height	Width	Depth	Box Qty	Lead Time
2221	140mm	126mm	23.5mm	20	Next Working Day

RAD-SEAL 15

Face-fix radiator pipe guide and seal for 10mm pipework.

Product Code	Height	Width	Depth	Box Qty	Lead Time
2222	140mm	126mm	23.5mm	20	Next Working Day



RAD-SEAL RECESSED


Recessed radiator pipe guide and seal for 10mm pipework.

Product Code	Diameter	Box Quantity	Lead Time
1115	140mm	10	Next Working Day

PRODUCT
VIDEO

AVAILABLE





ACCESS PRODUCTS

Plastic, metal and fire rated access panels



PLASTIC ACCESS PANELS



USE

Simple solution for providing access to services and connections behind dry lined walls, ducts, ceilings (ex. AP450 and AP450KL) and cupboard units. Ideal for meeting the gas safety industry and Building Regulation Part J's concealed boiler blue inspection access requirements (non-fire rated applications).

PRODUCT SPECIFICATION

Product Code	Frame Fitting Size	Clear Opening Size	Overall Frame Size	Insulation U-value	Door Type	Key Lock
AP110	115 x 165mm	100 x 150mm	135 x 185mm	0.35 W/m ² ·k	Clip fit	N/A
AP150	155 x 235mm	140 x 220mm	195 x 275mm	0.35 W/m ² ·k	Hinged	N/A
AP200	205 x 205mm	190 x 190mm	245 x 245mm	0.35 W/m ² ·k	Clip fit	N/A
AP300	305 x 305mm	290 x 290mm	345 x 345mm	0.35 W/m ² ·k	Hinged	N/A
AP450*	470 x 470mm	455 x 455mm	510 x 510mm	0.35 W/m ² ·k	Hinged	N/A
AP150KL	155 x 235mm	140 x 220mm	195 x 275mm	0.35 W/m ² ·k	Hinged	Yes
AP300KL	305 x 305mm	290 x 290mm	345 x 345mm	0.35 W/m ² ·k	Hinged	Yes
AP450KL*	470 x 470mm	455 x 455mm	510 x 510mm	0.35 W/m ² ·k	Hinged	Yes

ORDERING INFORMATION

Product Code	Description	Pack Qty	Lead Time
AP110	Plastic Access Panel 115 x 165mm - Clip Fit	1	Next Working Day
AP150	Plastic Access Panel 155 x 235mm - Hinged	1	Next Working Day
AP200	Plastic Access Panel 205 x 205mm - Clip Fit	1	Next Working Day
AP300	Plastic Access Panel 305 x 305mm - Hinged	1	Next Working Day
AP450*	Plastic Access Panel 470 x 470mm - Hinged	1	Next Working Day
AP150KL	Plastic Access Panel 155 x 235mm - Hinged Key Lock	1	Next Working Day
AP300KL	Plastic Access Panel 305 x 305mm - Hinged Key Lock	1	Next Working Day
AP450KL*	Plastic Access Panel 470 x 470mm - Hinged Key Lock	1	Next Working Day

*Not suitable for ceiling installations

AIRTIGHT PLASTIC ACCESS PANELS



USE

Fully airtight and high-level acoustic performance plastic access panels for providing access to concealed services and connections behind dry lined walls, ducts, ceilings, and cupboard units. An economical solution for providing access to concealed services. Helps to meet the requirements of:

- **Building Regulation Part L** – Conservation of Fuel and Power (air leakage)
- **Building Regulation Part J** – Heat Producing Appliances (concealed boiler flue inspection access)
- **Building Regulation Part E** – Resistance to Sound

PRODUCT SPECIFICATION

Product Code	Frame Fitting Size	Clear Opening Size	Overall Frame Size	Door Type
AP110AT	115 x 165mm	100 x 150mm	135 x 185mm	Clip fit
AP150AT	155 x 235mm	140 x 220mm	195 x 275mm	Clip fit
AP200AT	205 x 205mm	190 x 190mm	245 x 245mm	Clip fit
AP300AT	305 x 305mm	290 x 290mm	345 x 345mm	Clip fit
AP450AT	470 x 470mm	455 x 455mm	510 x 510mm	Clip fit

ORDERING INFORMATION

Product Code	Description	Pack Qty	Lead Time
AP110AT	Airtight Plastic Access Panel 115 x 165mm	1	Next Working Day
AP150AT	Airtight Plastic Access Panel 155 x 235mm	1	Next Working Day
AP200AT	Airtight Plastic Access Panel 205 x 205mm	1	Next Working Day
AP300AT	Airtight Plastic Access Panel 305 x 305mm	1	Next Working Day
AP450AT	Airtight Plastic Access Panel 470 x 470mm	1	Next Working Day

Z-SERIES METAL ACCESS PANELS



USE

Metal access panels to provide access to concealed electrical, plumbing, and other building services. For applications where plastic access panels are not suitable and a fire rating is not required. An ideal solution for meeting the gas safety industry and Building Regulation Part J's concealed boiler flue inspection access requirements (non-fire rated applications).

PRODUCT SPECIFICATION & ORDERING INFORMATION

Product Code	Frame Fitting Size	Clear Opening Size	Overall Panel & Frame Size	Pack Qty	Lead Time
Z2001	155 X 155mm	128 x 110mm	198 x 198mm	1	Next Working Day
Z2002	155 x 235mm	110 x 208mm	198 x 278mm	1	Next Working Day
Z2003	205 x 205mm	178 x 160mm	248 x 248mm	1	Next Working Day
Z2004	305 x 305mm	278 x 260mm	348 x 348mm	1	Next Working Day
Z2005	355 x 355mm	328 x 310mm	398 x 398mm	1	Next Working Day
Z2006	455 x 455mm	428 x 410mm	498 x 498mm	1	Next Working Day
Z2007	555 x 555mm	528 x 518mm	598 x 598mm	1	Next Working Day
Z2008	605 x 305mm	578 x 260mm	648 x 348mm	1	Next Working Day
Z2009	605 x 605mm	578 x 560mm	648 x 648mm	1	Next Working Day

SPARES

Product Code	Description	Pack Qty	Lead Time
Z1180	Budget Lock Spare Key	1	Next Working Day
Z1185	Key Lock Spare Key	1	Next Working Day

METAL 1-HOUR FIRE RATED ACCESS PANELS



USE

Multi-performance 1-hour fire rated steel access panels designed to provide access to services and connections behind dry lined walls and ceilings where a 1-hour fire rating is required. Also suitable for projects requiring additional reduced air leakage and/or acoustic performance requirements.


PRODUCT SPECIFICATION

Product Code	Frame Fitting Size	Clear Opening Size	Overall Frame Size	Door Type	Pack Qty	Lead Time
APC150x150CR	155 x 155mm	110 x 110mm	200 x 200mm	T-key lock	1	Next Working Day
APC150x230CR	155 x 235mm	110 x 190mm	200 x 280mm	T-key lock	1	Next Working Day
APC200x200CR	205 x 205mm	160 x 160mm	250 x 250mm	T-key lock	1	Next Working Day
APC300x300CR	305 x 305mm	260 x 260mm	350 x 350mm	T-key lock	1	Next Working Day
APC450x450CR	455 x 455mm	410 x 410mm	500 x 500mm	T-key lock	1	Next Working Day
APC550x550CR	555 x 555mm	510 x 510mm	600 x 600mm	T-key lock	1	Next Working Day
APC600x600CR	605 x 605mm	560 x 560mm	650 x 650mm	T-key lock	1	Next Working Day
APC150x150CRKL	155 x 155mm	110 x 110mm	200 x 200mm	Key lock	1	Next Working Day
APC150x230CRKL	155 x 235mm	110 x 190mm	200 x 280mm	Key lock	1	Next Working Day
APC200x200CRKL	205 x 205mm	160 x 160mm	250 x 250mm	Key lock	1	Next Working Day
APC300x300CRKL	305 x 305mm	260 x 260mm	350 x 350mm	Key lock	1	Next Working Day
APC450x450CRKL	455 x 455mm	410 x 410mm	500 x 500mm	Key lock	1	Next Working Day
APC550x550CRKL	555 x 555mm	510 x 510mm	600 x 600mm	Key lock	1	Next Working Day
APC600x600CRKL	605 x 605mm	560 x 560mm	650 x 650mm	Key lock	1	Next Working Day



THROUGH WALL VENTILATION


Grilles, cowls, cavity sleeves and anti-draught ventilators



THROUGH-WALL VENTILATION

EXTERNAL COWLS


Face-fixed to provide an external cowl over an airbrick to help reduce draughts caused by wind blasts.



Product Code	Description	Colour	Overall Dimensions	Equivalent Area	Pack Qty
ABC93TE	9 x 3 external cowl	Terracotta	255mm x 96mm	8700mm ²	1
ABC93BR	9 x 3 external cowl	Brown	255mm x 96mm	8700mm ²	1
ABC96TE	9 x 6 external cowl	Terracotta	255mm x 154mm	16000mm ²	1
ABC96BR	9 x 6 external cowl	Brown	255mm x 154mm	16000mm ²	1
ABC99TE	9 x 9 external cowl	Terracotta	274mm x 235mm	23900mm ²	1
ABC99BR	9 x 9 external cowl	Brown	274mm x 235mm	23900mm ²	1

INTERNAL PLASTIC GRILLES

Plastic internal grille and louvre vents designed to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing draughts. All grilles, including the hit and miss, feature the same louvred design.



Product Code	Description	Colour	Overall Dimensions	Equivalent Area	Pack Qty
1218W	6 x 3 louvre 'mini vent'	White	166mm x 85mm	4100mm ²	1
1207W	9 x 3 louvre vent	White	260mm x 194mm	7600mm ²	1
1211W	9 x 6 louvre vent	White	260mm x 170mm	11300mm ²	1
1212W	9 x 9 louvre vent	White	260mm x 235mm	16500mm ²	1
1218WF	6 x 3 louvre vent with flyscreen	White	166mm x 85mm	2350mm ²	1
1207WF	9 x 3 louvre vent with flyscreen	White	260mm x 104mm	3750mm ²	1
1211WF	9 x 6 louvre vent with flyscreen	White	260mm x 170mm	7150mm ²	1
1212WF	9 x 9 louvre vent with flyscreen	White	260mm x 235mm	8190mm ²	1
1219W	6 x 3 hit & miss 'mini vent'	White	166mm x 85mm	2350mm ²	1
1208W	9 x 3 hit & miss louvre vent	White	260mm x 104mm	3750mm ²	1
1209W	9 x 6 hit & miss louvre vent	White	260mm x 170mm	7150mm ²	1
1210W	9 x 9 hit & miss louvre vent	White	260mm x 235mm	8190mm ²	1

INTERNAL METAL GRILLES

Internal grilles and louvre vents designed to cover the inner opening of a cavity sleeve and provide a sleek appearance while sustaining airflow and reducing draughts.

Manufactured from high quality pressed aluminium and available in three finishes:


Plain Aluminium, Brass Anodised, and Polished Brass.



Product Code	Description	Colour	Overall Dimensions	Equivalent Area
1220A	9 x 3 hit & miss vent	Plain aluminium	242mm x 89mm	3741mm ²
1220BA	9 x 3 hit & miss vent	Brass anodised	242mm x 89mm	3741mm ²
1220PB	9 x 3 hit & miss vent	Polished brass	242mm x 89mm	3741mm ²
1221A	9 x 6 hit & miss vent	Plain aluminium	242mm x 165mm	6452mm ²
1221BA	9 x 6 hit & miss vent	Brass anodised	242mm x 165mm	6452mm ²
1221PB	9 x 6 hit & miss vent	Polished brass	242mm x 165mm	6452mm ²
1222A	9 x 9 hit & miss vent	Plain aluminium	242mm x 242mm	11250mm ²
1222BA	9 x 9 hit & miss vent	Brass anodised	242mm x 242mm	11250mm ²
1222PB	9 x 9 hit & miss vent	Polished brass	242mm x 242mm	11250mm ²
1223A	9 x 3 louvre vent	Plain aluminium	242mm x 89mm	3973mm ²
1223BA	9 x 3 louvre vent	Brass anodised	242mm x 89mm	3973mm ²
1223PB	9 x 3 louvre vent	Polished brass	242mm x 89mm	3973mm ²
1224A	9 x 6 louvre vent	Plain aluminium	242mm x 165mm	7946mm ²
1224BA	9 x 6 louvre vent	Brass anodised	242mm x 165mm	7946mm ²
1224PB	9 x 6 louvre vent	Polished brass	242mm x 165mm	7946mm ²
1225A	9 x 9 louvre vent	Plain aluminium	242mm x 242mm	12770mm ²
1225BA	9 x 9 louvre vent	Brass anodised	242mm x 242mm	12770mm ²
1225PB	9 x 9 louvre vent	Polished brass	242mm x 242mm	12770mm ²
1226A	25.2 x 2 return air grille	Plain aluminium	648mm x 60mm	9774mm ²
1226BA	25.2 x 2 return air grille	Brass anodised	648mm x 60mm	9774mm ²

AERO CORE ANTI-DRAUGHT VENTILATORS

Combination ventilator sets for background venting and heat producing appliances. Aesthetically pleasing and simple to install system that is ideal for refurbishment, remedial work, and new build projects. Compliant with Building Regulation Approved Documents F and J (2010 editions).




Product Code	Description	Colour	Equivalent Area	Size	Pack Qty
ACV7TE	5" aero core with baffle	Terracotta	800mm ²	127mm (D) x 350mm	1
ACV7BR	5" aero core with baffle	Brown	800mm ²	127mm (D) x 350mm	1
ACV7CTE	5" aero core with cowl & baffle	Terracotta	890mm ²	127mm (D) x 350mm	1
ACV7CBR	5" aero core with cowl & baffle	Brown	890mm ²	127mm (D) x 350mm	1
ACV7HRTE	5" aero core high rise	Terracotta	500mm ²	127mm (D) x 350mm	1


CAVITY SLEEVES

Tough, flexible cavity sleeves and baffle and extension accessories, to provide ventilation through external walls to the building interior. Designed for use in conjunction with **Timloc Airbricks (1201AB)**.

Range presents solutions to suit single (9" x 3"), double (9" x 6") and triple (9" x 9") interlocked and stacked airbricks.



Product Code	Description	To Suit	Pack Quantity
1202/1	9 x 3 cavity sleeve	1 airbrick	20
1202/2	9 x 6 cavity sleeve	2 airbricks stacked	1
1237	9 x 3 telescopic extension	+ 90mm	1
1236	9 x 6 telescopic extension	+ 90mm	1
1238	9 x 3 baffle	1 airbrick	1



AIRBRICKS

For use with cavity sleeves and telescopic underfloor vents. Equivalent area marking to the front face is compliant with BS EN 13141-1:2004.

Stepped front grille designed to provide an unobstructed airflow and prevent the ingress of wind driven rain. Integral clips enable multiple airbricks to be stacked together to form 9x6 and 9x9 sizes.

Product Code	Description	Colour	Equivalent Area	Pack Quantity
1201ABBB	Airbrick	Blue Black	6170mm ²	20
1201ABBL	Airbrick	Black	6170mm ²	20
1201ABBR	Airbrick	Brown	6170mm ²	20
1201ABBU	Airbrick	Buff	6170mm ²	20
1201ABGR	Airbrick	Grey	6170mm ²	20
1201ABTE	Airbrick	Terracotta	6170mm ²	20
1201ABWH	Airbrick	White	6170mm ²	20



M E T E R

B O X E S


by **timloc**

Recessed and **surface-mounted** options to house various meters




ELECTRIC METER BOXES

RECESSED



SURFACE MOUNTED



USE

Designed to house UK standard domestic electric meters. Supplied fully assembled with door fitted. Replacement door available to suit both Recessed and Surface Mounted options: 30008*
*Pin hinge fitting only. Not suitable for butt hinge type.

Full datasheets available at timloc.co.uk

SINGLE QUANTITIES INDIVIDUALLY BOXED




ORDERING INFORMATION


Product Code	Description	Box Qty	Pallet Qty	Lead Time
30011	Electric Meter Box - Recessed	1	25	Next Working Day
30012	Electric Meter Box - Surface Mounted	1	25	Next Working Day
30008	Replacement Door for 30011 & 30012	1	100	Next Working Day

3 PHASE ELECTRIC METER BOXES

RECESSED



SURFACE MOUNTED



USE

Designed to house 3 phase electric meters. Supplied fully assembled with door fitted. 3 Phase Electric Meter Boxes are available in pack quantities only. Order as each.

Full datasheets available at timloc.co.uk

ORDER IN PACK QUANTITIES INDIVIDUALLY BOXED




ORDERING INFORMATION


Product Code	Description	Box Qty	Pack Qty	Lead Time
30002	3 Phase Electric Meter Box - Recessed	1	4	Next Working Day
30003	3 Phase Electric Meter Box - Surface Mounted	1	2	Next Working Day

GAS METER BOXES

RECESSED



SURFACE MOUNTED



USE

Designed to house UK standard domestic gas meters. Supplied fully assembled with door fitted. Replacement doors available for both options: Recessed - 30014* Surface Mounted - 30016*
*Pin hinge fitting only. Not suitable for butt hinge type.

Full datasheets available at timloc.co.uk

SINGLE QUANTITIES INDIVIDUALLY BOXED




ORDERING INFORMATION

Product Code	Description	Box Qty	Pallet Qty	Lead Time
30013	Gas Meter Box - Recessed	1	25	Next Working Day
30014	Replacement Door for 30013	1	100	Next Working Day
30015	Gas Meter Box - Surface Mounted	1	25	Next Working Day
30016	Replacement Door for 30015	1	100	Next Working Day

SMART GAS METER BOXES

UNIVERSAL SMART



USE

Designed to house UK standard domestic smart gas meters, for standard smart gas meter installation kits. Supplied fully assembled with door fitted.

Replacement door available: 30018

Full datasheet available at timloc.co.uk

SINGLE QUANTITIES INDIVIDUALLY BOXED



ORDERING INFORMATION

Product Code	Description	Box Qty	Pallet Qty	Lead Time
30017	Gas Meter Box - Universal Smart	1	10	Next Working Day
30018	Replacement Door for 30017	1	100	Next Working Day

HOCKEY STICKS

Designed to suit cable entry into meter box. Sold in single units and packaged in a sleeve.

INTERNAL CAVITY

Product dimensions:

1200mm x 480mm x 38mm
(H x W x D)

Product colour:

Black



SURFACE MOUNTED

Product dimensions:

1450mm x 310mm x 38mm
(H x W x D)

Product colour:

Off-white



Product Code	Description	Pack Quantity	Lead Time
31001	Internal Hockey Stick	1	Next Working Day
31002	Surface Mounted Hockey Stick	1	Next Working Day

To help prolong the life of your meter box and keep it in top working order, Timloc offer a range of replacement parts.

REPLACEMENT PARTS

Product Code	Description	Pack Quantity	Lead Time
30008	Replacement Door for 30011 & 30012	1	Next Working Day
30014	Replacement Door for 30013	1	Next Working Day
30016	Replacement Door for 30015	1	Next Working Day
30018	Replacement Door for 30017	1	Next Working Day
30022	Gas Meter Box Repair Kit	1	Next Working Day
30027	Electric Meter Box Repair Kit	1	Next Working Day

Disclaimer: Due to the composition of GRP, surface blemishes including light scratches and pin holes should be anticipated on the meter box. These are inherent in the manufacturing process and will not affect the overall product functionality.

PRODUCT CODES

Radiator Pipe Guide & Seals					
Timloc Code	Description	Colour	Pack Qty	Lead Time	Page
2221	Rad-Seal Face-Fix 10mm	White	20	Next Working Day	5
2222	Rad-Seal Face-Fix 15mm	White	20	Next Working Day	5
1115	Rad-Seal Recessed	White	10	Next Working Day	5

Access Panels					
Timloc Code	Description	Colour	Pack Qty	Lead Time	Page
API10	Plastic Access Panel 115x165mm Clip Fit	White	1	Next Working Day	7
API50	Plastic Access Panel 155x235mm Hinged	White	1	Next Working Day	7
AP200	Plastic Access Panel 205x205mm Clip Fit	White	1	Next Working Day	7
AP300	Plastic Access Panel 305x305mm Hinged	White	1	Next Working Day	7
AP450*	Plastic Access Panel 470x470mm Hinged	White	1	Next Working Day	7
API50KL	Plastic Access Panel 155x235mm Hinged Key Lock	White	1	Next Working Day	7
AP300KL	Plastic Access Panel 305x305mm Hinged Key Lock	White	1	Next Working Day	7
AP450KL*	Plastic Access Panel 470x470mm Hinged Key Lock	White	1	Next Working Day	7
API10AT	Plastic Air Tight Access Panel 115x165mm	White	1	Next Working Day	8
API50AT	Plastic Air Tight Access Panel 155x235mm	White	1	Next Working Day	8
AP200AT	Plastic Air Tight Access Panel 205x205mm	White	1	Next Working Day	8
AP300AT	Plastic Air Tight Access Panel 305x305mm	White	1	Next Working Day	8
AP450AT	Plastic Air Tight Access Panel 470x470mm	White	1	Next Working Day	8
Z2001	Z Series Metal Access Panel 150x150mm	White	1	Next Working Day	9
Z2002	Z Series Metal Access Panel 150x230mm	White	1	Next Working Day	9
Z2003	Z Series Metal Access Panel 200x200mm	White	1	Next Working Day	9
Z2004	Z Series Metal Access Panel 300x300mm	White	1	Next Working Day	9
Z2005	Z Series Metal Access Panel 350x350mm	White	1	Next Working Day	9
Z2006	Z Series Metal Access Panel 450x450mm	White	1	Next Working Day	9
Z2007	Z Series Metal Access Panel 550x550mm	White	1	Next Working Day	9
Z2008	Z Series Metal Access Panel 600x300mm	White	1	Next Working Day	9
Z2009	Z Series Metal Access Panel 600x600mm	White	1	Next Working Day	9
APCI50x150CR	1 Hr Fire-Rated Metal Access Panel 150x150mm	White	1	Next Working Day	10
APCI50x230CR	1 Hr Fire-Rated Metal Access Panel 150x230mm	White	1	Next Working Day	10
APC200x200CR	1 Hr Fire-Rated Metal Access Panel 200x200mm	White	1	Next Working Day	10
APC300x300CR	1 Hr Fire-Rated Metal Access Panel 300x300mm	White	1	Next Working Day	10
APC450x450CR	1 Hr Fire-Rated Metal Access Panel 450x450mm	White	1	Next Working Day	10
APC550x550CR	1 Hr Fire-Rated Metal Access Panel 550x550mm	White	1	Next Working Day	10
APC600x600CR	1 Hr Fire-Rated Metal Access Panel 600x600mm	White	1	Next Working Day	10
APCI50x150CRKL	1 Hr Fire-Rated Metal Access Panel 150x150mm - Key Lock	White	1	Next Working Day	10
APCI50x230CRKL	1 Hr Fire-Rated Metal Access Panel 150x230mm - Key Lock	White	1	Next Working Day	10
APC200x200CRKL	1 Hr Fire-Rated Metal Access Panel 200x200mm - Key Lock	White	1	Next Working Day	10
APC300x300CRKL	1 Hr Fire-Rated Metal Access Panel 300x300mm - Key Lock	White	1	Next Working Day	10
APC450x450CRKL	1 Hr Fire-Rated Metal Access Panel 450x450mm - Key Lock	White	1	Next Working Day	10
APC550x550CRKL	1 Hr Fire-Rated Metal Access Panel 550x550mm - Key Lock	White	1	Next Working Day	10
APC600x600CRKL	1 Hr Fire-Rated Metal Access Panel 600x600mm - Key Lock	White	1	Next Working Day	10

Through-Wall Ventilation

Timloc Code	Description	Colour	Pack Qty	Lead Time	Page
ABC93TE	9 x 3 external cowl	Terracotta	1	Next Working Day	12
ABC93BR	9 x 3 external cowl	Brown	1	Next Working Day	12
ABC96TE	9 x 6 external cowl	Terracotta	1	Next Working Day	12
ABC96BR	9 x 6 external cowl	Brown	1	Next Working Day	12
ABC99TE	9 x 9 external cowl	Terracotta	1	Next Working Day	12
ABC99BR	9 x 9 external cowl	Brown	1	Next Working Day	12
1218W	6 x 3 louvre 'mini vent'	White	1	Next Working Day	12
1207W	9 x 3 louvre vent	White	1	Next Working Day	12
1211W	9 x 6 louvre vent	White	1	Next Working Day	12
1212W	9 x 9 louvre vent	White	1	Next Working Day	12
1218WF	6 x 3 louvre vent with flyscreen	White	1	Next Working Day	12
1207WF	9 x 3 louvre vent with flyscreen	White	1	Next Working Day	12
1211WF	9 x 6 louvre vent with flyscreen	White	1	Next Working Day	12
1212WF	9 x 9 louvre vent with flyscreen	White	1	Next Working Day	12
1219W	6 x 3 hit & miss 'mini vent'	White	1	Next Working Day	12
1208W	9 x 3 hit & miss louvre vent	White	1	Next Working Day	12
1209W	9 x 6 hit & miss louvre vent	White	1	Next Working Day	12
1210W	9 x 9 hit & miss louvre vent	White	1	Next Working Day	12
1220A	9 x 3 hit & miss vent	Aluminium	1	Next Working Day	13
1220BA	9 x 3 hit & miss vent	Brass Anodised	1	Next Working Day	13
1220PB	9 x 3 hit & miss vent	Polished Brass	1	Next Working Day	13
1221A	9 x 6 hit & miss vent	Aluminium	1	Next Working Day	13
1221BA	9 x 6 hit & miss vent	Brass Anodised	1	Next Working Day	13
1221PB	9 x 6 hit & miss vent	Polished Brass	1	Next Working Day	13
1222A	9 x 9 hit & miss vent	Aluminium	1	Next Working Day	13
1222BA	9 x 9 hit & miss vent	Brass Anodised	1	Next Working Day	13
1222PB	9 x 9 hit & miss vent	Polished Brass	1	Next Working Day	13
1223A	9 x 3 louvre vent	Aluminium	1	Next Working Day	13
1223BA	9 x 3 louvre vent	Brass Anodised	1	Next Working Day	13
1223PB	9 x 3 louvre vent	Polished Brass	1	Next Working Day	13
1224A	9 x 6 louvre vent	Aluminium	1	2-3 Working Days	13
1224BA	9 x 6 louvre vent	Brass Anodised	1	2-3 Working Days	13
1224PB	9 x 6 louvre vent	Polished Brass	1	Next Working Day	13
1225A	9 x 9 louvre vent	Aluminium	1	2-3 Working Days	13
1225BA	9 x 9 louvre vent	Brass Anodised	1	2-3 Working Days	13
1225PB	9 x 9 louvre vent	Polished Brass	1	Next Working Day	13
1226A	25.2 x 2 return air grille	Aluminium	1	Next Working Day	13
1226BA	25.2 x 2 return air grille	Brass Anodised	1	Next Working Day	13
1202/1	9 x 3 cavity sleeve	Black	20	Next Working Day	14
1202/2	9 x 6 cavity sleeve	Black	1	Next Working Day	14
1237	9 x 3 telescopic extension	Black	1	Next Working Day	14
1236	9 x 6 telescopic extension	Black	1	Next Working Day	14
1238	9 x 3 baffle	Black	1	Next Working Day	14
1201ABBB	Airbrick	Blue Black	20	Next Working Day	14
1201ABBL	Airbrick	Black	20	Next Working Day	14
1201ABBR	Airbrick	Brown	20	Next Working Day	14
1201ABBU	Airbrick	Buff	20	Next Working Day	14
1201ABGR	Airbrick	Grey	20	Next Working Day	14
1201ABTE	Airbrick	Terracotta	20	Next Working Day	14
1201ABWH	Airbrick	White	20	Next Working Day	14

Through-Wall Ventilation


Timloc Code	Description	Colour	Pack Qty	Lead Time	Page
ACV7TE	5" (127mm) aero core with baffle	Terracotta	1	Next Working Day	13
ACV7BR	5" (127mm) aero core with baffle	Brown	1	Next Working Day	13
ACV7CTE	5" (127mm) aero core with cowl & baffle	Terracotta	1	Next Working Day	13
ACV7CBR	5" (127mm) aero core with cowl & baffle	Brown	1	Next Working Day	13
ACV7HRTE	5" (127mm) aero core high rise	Terracotta	1	Next Working Day	13

Meter Boxes

Timloc Code	Description	Colour	Pack Qty	Lead Time	Page
30011	Electric meter box - Recessed	White	1	Next Working Day	16
30012	Electric meter box - Surface Mounted	White	1	Next Working Day	16
30008	Replacement door for 30011 & 30012	White	1	Next Working Day	16
30002	Electric meter box 3 phase recessed	White	4	Next Working Day	17
30003	Electric meter box 3 phase surface mounted	White	2	Next Working Day	17
30013	Gas meter box - Recessed	White	1	Next Working Day	18
30014	Replacement door for 30013	White	1	Next Working Day	18
30015	Gas meter box - Surface Mounted	White	1	Next Working Day	18
30016	Replacement door for 30015	White	1	Next Working Day	18
30017	Universal Smart gas meter box	White	1	Next Working Day	19
30018	Replacement door for 30017	White	1	Next Working Day	19
31001	Internal hockey stick	White	1	Next Working Day	20
31002	Surface mounted hockey stick	White	1	Next Working Day	20
30022	Gas meter box repair kit	White	1	Next Working Day	20
30027	Electric meter box repair kit	White	1	Next Working Day	20

EVERYTHING
UNDER ONE ROOF

SCAN THE QR CODE
TO DISCOVER THE FULL
PRODUCT RANGE



PLUMBING PRODUCTS

timloc
building products



Sales | Phone: **01405 765 567** Email: sales@timloc.co.uk Web: timloc.co.uk

Technical | Phone: **01405 782 769** Email: technical@timloc.co.uk Web: timloc.co.uk