

by **timloc**

Rafter Roll

Roll out system to maintain ventilation between insulation and roofing felt

Hse

- For pitched roof eaves ventilation
- On standard pitched roofs where the pitch is 15 degrees or more and the roof void is an attic or loft space
- On roofs with rafter spacings of between 400mm and 600mm centres

Features and Benefits

- Durable, totally resistant to decay, easy to fit
- Supplied in convenient 6m rolls
- Suitable for new build and refurbishment projects

Quality

- Satisfies all NHBC requirements
- Manufactured to BS EN ISO 9001 and BS IN ISO 14001
- Complies with all relevant Building Regulations
- Meets all relevant British Standards

Material and Colour Choice

- Manufactured by vacuum forming in RPET
- Available in black only

Products in the System



300mm roll form eaves vent

Single row of 300mm roll panel coverage suitable for:

Insulation depth	Min roof pitch °
225mm	40°
250mm	45°



400mm roll form eaves vent

Single row of 400mm roll panel coverage suitable for:

· ·		
Insulation depth	Min roof pitch °	
225mm	32.5°	
250mm	37.5°	
300mm	48.5°	



Installation Advice

- Unroll the ventilator along the rafters along the full length of the eaves and along both sides of the building to create a cross flow ventilation action
- Position centrally above the wall plate. This is the narrowest part of the roof where the roof insulation is most likely to constrict the airflow
- Push the corrugations down over the top of the rafters and secure using clout nails or staples

How to Order

• Measure the overall length of the eaves to be ventilated and divide by 6m to determine the number of rolls of ventilator required

Product Codes

Depth of ventilation channel	Width	Length	Pack Qty	Product Code
>35mm	300mm	6m	10	1121
>35mm	400mm	6m	12	1171
>35mm	600mm	6m	5	1131
>35mm	800mm	6m	6	1151



600mm roll form eaves vent

Single row of 600mm roll panel coverage suitable for:

Insulation depth	Min roof pitch °
225mm	20°
250mm	22.5°
300mm	27.5°
400mm	37.5°



800mm roll form eaves vent

Single row of 800mm roll panel coverage suitable for:

Insulation depth	Min roof pitch °			
225mm	17.5°			
250mm	20°			
300mm	22.5°			
400mm	30°			