



## REHAU S717 PATIO DOOR

LET THE OUTSIDE INSIDE

# REHAU S717 PATIO DOOR

LET THE OUTSIDE INSIDE



**REHAU is the premium worldwide brand supplying polymer-based windows, doors and conservatories to professional fabricators and installers. Our products are unrivalled in quality, technological innovation and exceptional design.**

The REHAU Patio Door is perfect for modern living – combining superior design and engineering to bring outstanding versatility to open up your home.



The S717 Patio Door has classic looks with a maximum glass area which optimises visibility. With PVC-U providing energy efficiency, noise reduction and little maintenance, it is the perfect choice for every lifestyle.



### **Low maintenance**

The REHAU Patio Door has many advantages, least of which is its low maintenance. Frames can be cleaned with a mild detergent and the locks need only very occasional oil maintenance. An integral doorstop has been specially designed to assist cleaning and as the running track is aluminium, smooth opening and closing ensure long term performance.

### **Looking good**

The REHAU S717 Patio Door is available in a modern White finish, Rosewood, Mahogany or Golden Oak woodgrain for a natural look. There is also a choice of 19 non-standard laminate options available by special order including Anthracite Grey, Cream, Schwarzbraun (Black) and White Ash. A maximum glass area makes them ideal for conservatories and porches where optimum visibility is a must. Our doors are made to last with a design which ensures rigidity and a long life, however tough the conditions.

### **Whatever the weather**

REHAU's Patio Door has improved insulation with its twin chamber construction and use of PVC-U. Between the sash and frame there is a twin

weatherseal keeping out the cold and dense brushpile seals improve weather performance.

The latest in sealing technology means the best in draught proofing and sound transmission is kept to a minimum. The style and design of REHAU's Patio Door mean that energy is conserved and bills are reduced.

### **Safe and secure**

Security is always a top priority so the S717 Patio Door features internal glazing with the beads on the inside, helping prevent the glazing being removed from the outside. In addition, the main PVC profiles are fully reinforced with galvanised steel, making them difficult to cut or bend while improving the strength of all screws and locks. Options include the latest multi-point locking devices with 'anti lift' technology.

### **Choices**

REHAU offer a wide range of options to meet the individual needs and tastes of everyone, with a choice of two, three or four panes. The thickness of the glass can also be specified and while 24mm is the most popular, 20 and 28mm are also available. To enhance your home even further, there is also a range of stylish accessories.

# REHAU S717 PATIO DOOR

## SYSTEM FEATURES

### System features

- 70mm deep outer frame used on all four sides
- Aluminium running track to assist the smooth running of the sashes and to ensure long-term performance
- 47mm deep sashes
- Choice of three glazing beads, permits the use of glazing units from 20 and 28mm thick
- Brushpile seals for improved weather performance
- Sash interlock seal and special injection moulded infill to accommodate brushpile, serve as weather protection and prevent sashes being lifted off the running track
- Improved drainage achieved through routed drainage solutions

Maximum sizes	
Max sash size:	1200mm wide x 2100mm high
Min sash size:	600mm wide x 1500mm high
Ratio sash height to width:	2:5:1
Maximum weight per sash:	80kg

*The ratio between height and width of the sash shall not exceed 2:5:1 in order to guarantee proper sliding function.*

For further system information please refer to the REHAU S717 Patio Door System Description (717.600EN/653). For further information on window, door and conservatory styles which are available using REHAU systems, please ask your REHAU supplier for a copy of the REHAU Domestic Brochure.



### UK & IRELAND SALES OFFICES

London, REHAU Ltd, The Building Centre, 25 Store Street, London WC1E 7BT Phone: 0207 580 6155 Fax: 0207 307 8595 Slough, Units 5 J & K, Langley Business Centre, Station Road, Langley, Slough SL3 8DS Phone: 01753 588500 Fax: 01753 588501 Manchester, Brinell Drive, Irlam, Manchester M44 5BL Phone: 0161 777 7400 Fax: 0161 777 7401 Glasgow, Phoenix House, Phoenix Crescent, Strathclyde Business Park, Bellshill, North Lanarkshire ML4 3NJ Phone: 01698 503700 Fax: 01698 503701 Dublin, 9 St. Johns Court, Business Park, Swords Road, Santry, Dublin 9 Phone: 00353 (0)1 8165020 Fax: 00353 (0)1 8165021

Our verbal and written application engineering advice is based upon experience and the best of our knowledge. However it is to be regarded as non-binding information. Working conditions and use under conditions for which the product was not intended and over which we have no influence exclude any claim resulting from our information. We recommend that a suitable check is made as to whether the REHAU product is suitable for the envisaged purpose. Application, use and processing of the products is carried out beyond the scope of our control and are therefore carried out exclusively at your own responsibility. If liability should still apply, then this is restricted, in the case of all damage, to the value of the goods supplied by us and used by you. Our warranty applies to the consistent quality of our products as per our specification and in accordance with our general terms and conditions of delivery and payment. This document is protected by copyright. All rights based on this are reserved. No part of this publication may be translated, reproduced or transmitted in any form or by any similar means, electronic or mechanical, photocopying, recording or otherwise, or stored in a data retrieval system.