



## PRODUCT WEIGHTS

Issued: January 2018

Weights are shown as Kgs/Mtr of standard profile. Where relevant, weights are also shown alongside for those profiles that incorporate an infilling.

Where a profile is typically used in combination with another, e.g. a Kliks top with a Kliks base, the weight of each component is listed separately.

### Brass Stair Nosings & Stair Edging Profiles

### Aluminium Stair Nosings & Stair Edging Profiles

Product Reference	Profile Only Kgs/Mtr	With PVC Infill Kgs/Mtr
BN1	2.917	n/a
BN1 SLR	1.858	n/a
BN1 SLR-R	1.858	n/a
BN1 SLR-15	1.596	n/a
BN1 SLR 15R	1.596	n/a
BN2	2.460	n/a
BN2 SLR	1.896	n/a
BN3	1.509	1.699
BN4	2.219	n/a
BN5	1.981	2.171
BN6	2.200	2.390
BN7	2.469	n/a
BN8	2.106	2.296
BN9	1.063	n/a
BN9R	1.063	n/a
BN11	2.090	n/a
BN14	1.231	1.421
BN15	1.388	1.578
BN15R	1.388	1.578
BN16	1.375	1.565
BN17	1.449	1.639
BN18	1.240	1.430
BN19	1.126	1.316
BN20	1.040	n/a
BN20R	1.040	n/a
BN20/15	0.850	n/a
BN21	0.990	n/a
BN52	3.966	4.254
BN55	2.866	3.056
BN55R	2.866	3.056
BN67	3.458	n/a
BN67R	3.458	n/a
BN69	2.431	2.627
BN71 SLR	1.773	1.963
BN71 SLR-R	1.773	1.963
BN90	3.280	n/a

Product Reference	Profile Only Kgs/Mtr	With PVC Infill Kgs/Mtr	With Aluminium Infill Kgs/Mtr
AN1 SLR	0.606	n/a	n/a
AN1 SLR-R	0.606	n/a	n/a
AN2	0.660	n/a	n/a
AN4	0.460	n/a	n/a
AN5	0.606	n/a	n/a
AN6	0.846	n/a	n/a
AN6R	0.846	n/a	n/a
AN7 HDR	0.898	n/a	n/a
AN14	0.392	0.572	0.668
AN15	0.412	0.592	0.688
AN15R	0.412	0.592	0.688
AN15/55	0.601	0.781	0.877
AN15/55R	0.601	0.781	0.877
AN20/3	0.330	n/a	n/a
AN20R/3	0.330	n/a	n/a
AN20/5.5	0.340	n/a	n/a
AN21/3	0.362	n/a	n/a
AN21/5.5	0.340	n/a	n/a
AN51	0.584	0.764	0.860
AN51/55	0.704	0.884	0.980
AN51/55R	0.704	0.884	0.980
AN52	0.777	1.037	n/a
AN52R	0.777	1.037	n/a
AN55	0.713	n/a	n/a
AN55R	0.713	n/a	n/a
AN552	0.710	0.830	n/a
AN61	0.584	0.764	0.860
AN65/55 CF	0.981	1.028	1.055
AN65/55R CF	0.981	1.028	1.055
AN65/30 CF	0.846	0.893	0.920
AN65/30R CF	0.846	0.893	0.920
AN69	0.823	1.003	1.099
AN70/55 CF	0.835	0.882	0.897
AN70/55R CF	0.835	0.882	0.897
AN70/30 CF	0.734	0.781	0.796
AN70/30R CF	0.734	0.781	0.796
AN81	0.706	0.886	0.982
AN82	0.909	1.169	n/a
ANCP/55/55	0.623	n/a	n/a
ANCP/60/30	0.510	n/a	n/a
ANCP/25/25	0.283	n/a	n/a
ANEXT	0.433	0.613	0.709
ANT60/55	1.142	1.332	1.418
ANT60/25/55	0.980	1.170	1.256
ANT60/25/25	0.879	1.069	1.155
ANRE25	0.219	n/a	n/a
SN2SL/A	0.517	0.707	0.793
SN5/A	0.780	0.970	1.056
SN6/A	0.771	0.961	1.047
SN7/A	0.936	1.126	1.199
SN60/A	0.986	1.176	1.262

C.A.T. LTD. Units 24 A.B.C., Park Avenue Estate, Luton, Bedfordshire LU3 3BP, U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900 email: sales@cat-accs.com website: www.thecatweb.com

**Manufacturers Of The Finest Specialist Flooring Accessories**  
www.thecatweb.com



## PRODUCT WEIGHTS

Issued: January 2018

Weights are shown as Kgs/Mtr of standard profile. Where relevant, weights are also shown alongside for those profiles that incorporate an infilling.

Where a profile is typically used in combination with another, e.g. a Kliks top with a Kliks base, the weight of each component is listed separately.

### Stainless Steel Stair Nosings

Product Reference	Profile Only Kgs/Mtr	With PVC Infill Kgs/Mtr
SN2SL	0.802	0.992
SN5	1.136	1.326
SN6	1.064	1.254
SN7	1.482	1.672
SN60	1.358	1.548
SNCP/55/55	1.830	n/a
SNCP/60/30	1.497	n/a
SNCP/25/25	0.832	n/a

### Stair Treads Inserts & Insert Discs

Product Reference	Profile includes Carborundum (where applicable) Kgs/Mtr
ATI 49.5	0.276
ATI 55DC	0.755
ATI 62	0.380
BTI 25	0.792
BTI 52	1.648
BTI 60	1.750
Olympic 256	0.320
Olympic ATI 55DC	0.998
Olympic ATI 62	0.623
Olympic SS256	0.772
Olympic SS506	1.394
Olympic CID 25 each	0.010
Olympic CID 35 each	0.025
Olympic CID 50 each	0.035
AID 25 each	0.007
BID 25 each	0.025
FPA 10 x 3	0.081
FPA 10 x 6	0.162
FPA 12 x 3	0.097
FPB 6 x 3	0.152
FPB 10 x 3	0.254
FPB 10 x 6	0.508
FPB 12 x 3	0.305
FPSS 10 x 3	0.339
FPSS 10 x 6	0.678

### Olympic Stair Nosings

Product Reference	Profile Only Kgs/Mtr	With Carborundum Infill Kgs/Mtr
Olympic 35	0.280	n/a
Olympic 70	0.628	0.898
Olympic 78	0.802	1.342
Olympic 150	1.378	2.058
Olympic 551	0.965	1.585
Olympic 552	0.936	1.556
Olympic 761	0.949	1.489
Olympic 761R	0.949	1.489
Olympic AN15/55	0.601	1.024
Olympic AN15/55R	0.601	1.024
Olympic AN51	0.584	1.007
Olympic AN52	0.777	1.419
Olympic AN61	0.584	1.007
Olympic AN69	0.823	1.246
Olympic AN81	0.706	1.129
Olympic AN552	0.710	0.964
Olympic ANEXT	0.433	0.856
Olympic ANRE25	0.219	n/a

### Stair Rods

Rod Diameter	Kgs/Mtr
10mm	0.607
12mm	1.706
16mm	2.014
19mm	2.420
Triangular	1.144

### Staircase Stringer Trims / Stair Edge Profiles

Product Reference	Profile Only Kgs/Mtr
AE60	0.795
AE80	0.975
AT35	0.392
Welded Angle	0.282
AT35/3.5	0.392
Welded Angle	0.282
BAT65/15	1.154
BT35	1.210
Welded Angle	0.871
BT50	1.230
Welded Angle	0.886
SAT65/15	1.105
ST40	0.705
Welded Angle	0.508

### Stair Rod Eyes

Item	Kgs Each
Plain 10mm	0.065
Plain 12mm	0.078
Plain 16mm	0.081
Plain 19mm	0.086
Hinged 10mm	0.061
Hinged 12mm	0.074
Hinged 16mm	0.078
Hinged 19mm	0.082
Top Fixed	0.120

C.A.T. LTD. Units 24 A.B.C., Park Avenue Estate, Luton, Bedfordshire LU3 3BP, U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900 email: sales@cat-accs.com website: www.thecatweb.com

**Manufacturers Of The Finest Specialist Flooring Accessories**  
www.thecatweb.com



## PRODUCT WEIGHTS

Issued: January 2018

Weights are shown as Kgs/Mtr of standard profile. Where relevant, weights are also shown alongside for those profiles that incorporate an infilling.

Where a profile is typically used in combination with another, e.g. a Kliks top with a Kliks base, the weight of each component is listed separately.

### Feline Flooring Profiles

Product Reference	Kgs/Mtr
Feline 1	0.854
Feline 2	0.836
Feline 3	0.964
Feline 4	1.420
Feline A/9/2	0.366
Feline A/10	0.255
Feline A/12Z	0.251
Feline A/13	0.255
Feline A/15	0.311
Feline AT25	0.132
Feline T25	0.443

### FAB Flooring Profiles

Product Reference	Kgs/Mtr
FAB TT/TL - Brass Top	0.603
FAB TT/TL - Stainless Steel Top	0.588
FAB TT/SL - Brass Top	0.492
FAB TT/SL - Stainless Steel Top	0.477
FAB A/12Z - Brass Top	0.488
FAB A/12Z - Stainless Steel Top	0.473
FAB T28 - Brass Top	0.369
FAB T28 - Stainless Steel Top	0.354

### Single Nap Lock & Single Square Edge Flooring Profiles

Product Reference	Kgs/Mtr
BNR	0.617
BNF	0.506
ANF	0.202
SSNF	0.532
ANE	0.232
BNE	0.726
Feline Edge	0.766
CAP IT	0.158
SSE	0.532
SS10	0.542
ANRE25	0.219

### Brass & Stainless Steel Feature Angles

Product Reference	Kgs/Mtr
BFA 12/8	0.466
BFA 9/7	0.457
BFA 12/15	0.559
BFA 15/15	0.660
SFA 9/7	0.380
SFA 12/15	0.523
SFA 15/15	0.618
SFA 22/18	0.779

### Brass Cover Plates

Product Reference	Kgs/Mtr
BC28 SF	0.239
BC30	0.305
BC38	0.785
BC38 SF	0.787
BC40	0.406
BC50	0.508
BC55	1.326
BC55 SF	1.328
B155	1.326
B155 SF	1.328
BEP1	1.271
BEP2	1.694

### Brass Wide Cover Plates

Product Reference	Kgs/Mtr
BC80	1.355
BC80P	1.538
BC100	1.694
BC100P	1.927

### Aluminium Cover Plates

Product Reference	Kgs/Mtr
AC38	0.234
AC38 SF	0.236
AC55	0.365
AC55 SF	0.367
A155	0.364
A155 SF	0.367
AEPI	0.392
AEP2	0.540

### Aluminium Wide Cover Plates

Product Reference	Kgs/Mtr
AC80	0.600
AC80 SF	0.602
AC82	0.560
AC82 SF	0.562
AC100	0.640
AC110	0.880
AC110 SF	0.890
AC135	1.200
AC135 SF	1.202

### Aluminium Chequer Plate Wide Cover Plates

Product Reference	Kgs/Mtr
ACHP80	0.454
ACHP80P	0.637
ACHP100	0.567
ACHP100P	0.750

### Aluminium Transition Plates

Product Reference	Profile Only Kgs/Mtr	With PVC Infill Kgs/Mtr	With Aluminium Infill Kgs/Mtr
T80i	0.480	0.670	0.756
T78i	0.432	0.622	0.708

### Stainless Steel Cover Plates

Product Reference	Kgs/Mtr
S155	0.871
SC28 SF	0.268
SC30 (1.2mm)	0.285
SC30 SF (1.2mm)	0.287
SC30 (2.0mm)	0.475
SC30 SF (2.00mm)	0.477
SC38 (1.2mm)	0.361
SC38 SF (1.2mm)	0.363
SC38 (2.0mm)	0.602
SC38 SF (2.00mm)	0.604
SC50 (1.2mm)	0.475
SC50 SF (1.2mm)	0.477
SC50 (2.0mm)	0.792
SC50 SF (2.00mm)	0.794
SC55	0.871
SC60	0.950
SC60 SF	0.952
SSEP1	1.188
SSEP2	1.584

C.A.T. LTD. Units 24 A.B.C., Park Avenue Estate, Luton, Bedfordshire LU3 3BP, U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900 email: sales@cat-accs.com website: www.thecatweb.com

**Manufacturers Of The Finest Specialist Flooring Accessories**  
www.thecatweb.com



## PRODUCT WEIGHTS

Issued: January 2018

Weights are shown as Kgs/Mtr of standard profile. Where relevant, weights are also shown alongside for those profiles that incorporate an infilling.

Where a profile is typically used in combination with another, e.g. a Kliks top with a Kliks base, the weight of each component is listed separately.

### Stainless Steel Wide Cover Plates

Product Reference	Kgs/Mtr
SC80	1.267
SC80P	1.450
SC100	1.584
SC100P	1.767

### Aluminium Wide Ramps

Product Reference	Kgs/Mtr
AR110/10	0.880
ARCP/12	0.397

### Perimeter Trims

Product Reference	Kgs/Mtr
BA ISF	0.637
BA OSF	0.637
BA20/12 ISF	0.408
BA20/12 OSF	0.408
BME ISF	0.637
BME OSF	0.637
SA ISF	0.596
SA OSF	0.596
SA20/12 ISF	0.382
SA20/12 OSF	0.382
SME ISF	0.596
SME OSF	0.596
PTA25/15 ISF	0.187
PTA25/15 OSF	0.187
PTA15/15 ISF	0.140
PTA15/15 OSF	0.140
PTP25/15 ISF	0.133
PTP25/15 OSF	0.133
PTP15/15 ISF	0.099
PTP15/15 OSF	0.099
Kliks End Stop Ali	0.284
Kliks End Stop - Brass Top	0.682
Kliks End Stop - S/S Top	0.656
Kliks Slim End Stop - Ali	0.141
Kliks Slim End Stop - Brass	0.424
Kliks Slim End Stop S/S	0.398
Timberline 1/12A SF	0.253
Timberline 1/15A SF	0.316
Timberline 1/22A SF	0.294
Timberline 2/12A	0.213
Timberline 2/15A	0.225
Timberline 2/22A	0.257
Timberline 1/12B SF	0.632
Timberline 1/15B SF	0.658
Timberline 1/22B SF	0.764
Timberline 2/12B	0.530
Timberline 2/15B	0.561
Timberline 2/22B	0.642
Timberline 1/12S SF	0.591
Timberline 1/15S SF	0.620
Timberline 1/22S SF	0.704
Timberline 2/12S	0.496
Timberline 2/15S	0.523
Timberline 2/22S	0.601

### Aluminium Feather Edge Profiles

Product Reference	Kgs/Mtr
AFE25	0.170
AFE27	0.216
AFE35	0.222
AFE54	0.432
AFE55	0.489
AFE56	0.377
AFE75	0.667

### Stainless Steel Ramps

Product Reference	Kgs/Mtr
FTRS12	0.618
SLE SF	0.358
SR8 SF	0.477
SR10	0.513
SR12 SF	0.477
SR14	0.599
SR20	0.950

### Specialist Ramps Profiles

Product Reference	Kgs/Mtr
ARCP/52/10	0.586
ARCP/70/18	1.167
BR9/50	0.742
BR17/70	1.419
SR9/50	0.709
SR17/17	1.370

### Brass Ramp Profiles

Product Reference	Kgs/Mtr
BLE/2 SF	0.358
BR8 SF	0.636
BR12 SF	0.636
BR15 SF	1.326
BR20	0.326
Kliks Brass Ramp SF	1.136
Kliks Slim Brass Ramp SF	0.782

### Capping Profiles

Product Reference	Kgs/Mtr
CAP IT	0.223
BCAP IT	0.528
BCAP	0.478
SCAP	0.447
SSE	0.532
SSNF	0.532

### Aluminium Ramp Profiles

Product Reference	Kgs/Mtr
AR3	0.234
AR3 SF	0.236
AR6	0.234
AR6 SF	0.236
AR8	0.234
AR8/2	0.236
AR8/2 SF	0.236
AR9.5	0.184
AR10	0.234
AR10 SF	0.236
AR12/2	0.365
AR12/2 SF	0.367
AR15	0.365
AR15 SF	0.367
AR63	0.657
AR63/17.5	0.607
AR65	0.955
Kliks Ali Ramp SF	0.381
Kliks Slim Ail Ramp SF	0.252

### Vertex Profiles

Product Reference	Kgs/Mtr
Vertex 1A	0.203
Vertex 2A	0.284
Vertex 3A	0.405
Vertex 41A	0.203
Vertex 2B	0.885
Vertex 41B	0.635
Vertex 1S	0.475
Vertex 2S	0.832
Vertex 3S	1.188
Vertex 41S	0.594

C.A.T. LTD. Units 24 A.B.C., Park Avenue Estate, Luton, Bedfordshire LU3 3BP, U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900 email: sales@cat-accs.com website: www.thecatweb.com

**Manufacturers Of The Finest Specialist Flooring Accessories**  
www.thecatweb.com



## PRODUCT WEIGHTS

Issued: January 2018

Weights are shown as Kgs/Mtr of standard profile. Where relevant, weights are also shown alongside for those profiles that incorporate an infilling.

Where a profile is typically used in combination with another, e.g. a Kliks top with a Kliks base, the weight of each component is listed separately.

### Aluminium & Stainless Steel Skirting Profiles

Product Reference	Kgs/Mtr
SK5030/A	0.432
SK5030/S	0.950
SK5050/A	0.540
SK5050/S	1.188
SK5050/2A	0.540
SK5050/2S	1.188
SS Scotia 20SF	0.162
SS PWD 20/12	0.832

### Matwell Frames

Product Reference	Kgs/Mtr
A19	0.250
A25	0.300
AR63	0.657
B19	0.758
B25	1.226
BA	0.635
BA2012	0.406
BME	0.635
SA	0.594
SA2012	0.380
SME	0.594

### Door Threshold Plates

Product Reference	Kgs/Mtr
DTB100/50	2.541
DTBR100/50	2.541
DTS100/50	2.376
DTSR100/50	2.376

### Timberline Flooring Profiles

Product Reference	Kgs/Mtr
Timberline 1/12A	0.251
Timberline 1/15A	0.314
Timberline 1/22A	0.292
Timberline 2/12A	0.213
Timberline 2/15A	0.225
Timberline 2/22A	0.257
Timberline 1/12B	0.630
Timberline 1/15B	0.656
Timberline 1/22B	0.762
Timberline 2/12B	0.530
Timberline 2/15B	0.561
Timberline 2/22B	0.642
Timberline 1/12S	0.589
Timberline 1/15S	0.618
Timberline 1/22S	0.702
Timberline 2/12S	0.496
Timberline 2/15S	0.523
Timberline 2/22S	0.601

### Reflex Movement Joints

Product Reference	Kgs/Mtr
RAD9	0.388
RAD13	0.452
RAD16	0.500
RAD19	0.548
RAS9	0.209
RAS13	0.241
RAS16	0.265
RAS16	0.289
RBD9	1.004
RBD13	1.142
RBD16	1.242
RBD19	1.344
RBS9	0.517
RBS13	0.586
RBS16	0.636
RBS19	0.687
RSD9	0.822
RSD13	0.870
RSD16	0.932
RSD19	0.980
RSS9	0.426
RSS13	0.450
RSS16	0.481
RSS19	0.505

### Aluminium Angles & Tag Trim Angles

Product Reference	Kgs/Mtr
A4.5	0.142
A6.5	0.157
A9	0.179
A13	0.211
A16	0.235
A19	0.259
A22.5	0.286
A25	0.308
TTA4.5	0.060
TTA6.5	0.078
TTA9	0.099
TTA13	0.135
TTA16	0.155
TTA19	0.176
TTA22.5	0.199
TTA25	0.226

### Brass Angles & Tag Trim Angles

Product Reference	Kgs/Mtr
B4.5	0.382
B6.5	0.424
B9	0.487
B13	0.556
B16	0.606
B19	0.657
B22.5	0.717
B25	0.757
TTB4.5	0.158
TTB6.5	0.208
TTB9	0.253
TTB13	0.319
TTB16	0.481
TTB19	0.571
TTB22.5	0.676
TTB25	0.751

C.A.T. LTD. Units 24 A.B.C., Park Avenue Estate, Luton, Bedfordshire LU3 3BP, U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900 email: sales@cat-accs.com website: www.thecatweb.com

**Manufacturers Of The Finest Specialist Flooring Accessories**  
www.thecatweb.com



## PRODUCT WEIGHTS

Issued: January 2018

Weights are shown as Kgs/Mtr of standard profile. Where relevant, weights are also shown alongside for those profiles that incorporate an infilling.

Where a profile is typically used in combination with another, e.g. a Kliks top with a Kliks base, the weight of each component is listed separately.

### B6 Feature Angles & Tag Trim Angles

Product Reference	Kgs/Mtr
B67.5	0.314
B610	0.336
B614	0.368
B617	0.392
B620	0.416
B623.5	0.443
B626	0.465
TTB67.5	0.153
TTB610	0.174
TTB614	0.210
TTB617	0.230
TTB620	0.251
TTB623.5	0.274
TTB626	0.301

### Mainline A Feature Angles & Tag Trim Angles

Product Reference	Kgs/Mtr
Mainline A9	0.262
Mainline A11.5	0.284
Mainline A15.5	0.316
Mainline A18.5	0.340
Mainline A21.5	0.364
Mainline A25	0.391
Mainline A27.5	0.413
Mainline TTA9	0.182
Mainline TTA11.5	0.204
Mainline TTA15.5	0.236
Mainline TTA18.5	0.260
Mainline TTA21.5	0.284
Mainline TTA25	0.311
Mainline TTA27.5	0.333

### Kliks Spectrum Zip Tops

Product Reference	Kgs/Mtr
KSP2	0.200
KSP3	0.200
KSP5	0.250
KSP6	0.333
KSP7	0.217
KSP73	1.217

### Kliks Bases

Product Reference	Kgs/Mtr
KB1	0.116
KB2	0.166
KB3	0.200

### Stainless Steel Angles & Tag Trim Angles

Product Reference	Kgs/Mtr
S6.5	0.341
S9	0.396
S10	0.404
S12	0.420
S16	0.451
S19	0.475
S22	0.499
S25	0.520
TTS6.5	0.301
TTS9	0.128
TTS10	0.206
TTS12	0.230
TTS16	0.274
TTS19	0.299
TTS22	0.319
TTS25	0.363

### Mainline P Feature Angles & Tag Trim Angles

Product Reference	Kgs/Mtr
Mainline P8.8	0.195
Mainline P11.3	0.217
Mainline P15.3	0.249
Mainline P18.3	0.273
Mainline P21.3	0.297
Mainline P24.8	0.324
Mainline P27.3	0.346
Mainline TTP8.8	0.115
Mainline TTP11.3	0.137
Mainline TTP15.3	0.169
Mainline TTP18.3	0.180
Mainline TTP21.3	0.217
Mainline TTP24.8	0.244
Mainline TTP27.3	0.266

### Kliks Slim Bases

Product Reference	Kgs/Mtr
KKSBA1	0.221
KKSBA2	0.293
KKSBP9.5	0.102
KKSBP12	0.106
KKSBP15	0.148
KKSBP20	0.186

### Kliks Spectrum Zip Bases

Product Reference	Kgs/Mtr
KAB38	0.183
KAB60	0.283
KB1	0.116
KB2	0.166
KB2	0.200
KB4	0.080

### Kliks Tops

Product Reference	Kgs/Mtr
Kliks T/T Brass	0.995
Kliks T/T Aluminium	0.306
Kliks T/T - Brass Top	0.704
Kliks T/T - S/S Top	0.678
Kliks End Stop Ali	0.282
Kliks End Stop - Brass Top	0.680
Kliks End Stop - S/S Top	0.654
Kliks Ramp Aluminium	0.379
Kliks Ramp Brass	1.134
Kliks Large Ramp Ali	0.567

### Kliks Slim Tops

Product Reference	Kgs/Mtr
Kliks Slim T/T Brass	0.609
Kliks Slim T/T Aluminium	0.187
Kliks Slim T/T - Brass Top	0.458
Kliks Slim T/T - S/S Top	0.440
Kliks Slim End Stop Ali	0.139
Kliks Slim End Stop Brass	0.422
Kliks Slim Ramp Ali	0.250
Kliks Slim Ramp Brass	0.780

### Catwalk Tops

Product Reference	Kgs/Mtr
RT39	0.180
T36	0.160

### Catwalk Bases

Product Reference	Kgs/Mtr
P8	0.121
P12	0.110

C.A.T. LTD. Units 24 A.B.C., Park Avenue Estate, Luton, Bedfordshire LU3 3BP, U.K.

T: +44 (0) 1582 561500 F: +44 (0) 1582 561900 email: sales@cat-accs.com website: www.thecatweb.com

**Manufacturers Of The Finest Specialist Flooring Accessories**  
www.thecatweb.com