




# Fixed Bollard 900mm Above Ground 60mm -114mm Diameter Stainless Steel



The stainless steel range of 900mm tall Fixed Bollards are suitable for a range of applications.

The round bollards are available in sizes from 48mm to 204mm diameter stainless steel grade 304 tube. The Fixed Bollard is available with extended legs for casting into concrete or a flange plate for bolting down.

The Stainless Steel Fixed Bollard is ideal for situations where a high quality aesthetically pleasing way to mark boundaries is required.

Removable versions also available.

<u>Part Number</u>	<u>Diameter and Fixing Detail</u>
138 125 060	60mm (Concrete In)
138 125 059	60mm (Bolt Down)
138 125 075	76mm (Concrete In)
138 125 074	76mm (Bolt Down)
138 125 090	89mm (Concrete In)
138 125 087	89mm (Bolt Down)
138 125 104	101mm (Concrete In)
138 125 110	101mm (Bolt Down)
138 125 117	114mm (Concrete In)
138 125 121	114mm (Bolt Down)

## Product details

- 900mm tall
- Cast in posts 300mm below ground
- Reflective bands available
- Grade 316 versions available
- Larger diameter versions available

## Installation & use

Bolt down Fixed Posts require bolting down to a suitable concrete surface (no less than 400mm<sup>3</sup>).

48mm - 114mm three M12 bolts, 139mm - 193mm three M16 bolts.

Concrete In Fixed Posts are supplied with welded fixing spikes to ensure firm ground anchorage.

Concrete In Fixed Posts require an excavated hole (no less than 300mm deep) for installation.

This product is guaranteed for 12 months (if installed and used correctly).

[www.autopa.co.uk](http://www.autopa.co.uk)  
+44 (0)1788 550556



AUTOPA Limited  
Cottage Leap, Rugby, Warwickshire CV21 3XP

