



STEEL SPUN DISHED ENDS



KINGSPAN TITAN

Manufacturing dished ends for over 30 years



MANUFACTURING PROCESS



Offering a wealth of experience & knowledge gained through product development and manufacturing experience

We provide customers with on-time delivery, a high quality finish and competitive pricing.

These benefits are further supported by our experienced sales and technical team that will give you the confidence and support over the lifetime of your product and beyond.

The range of dished ends are manufactured from DD11 mild steel (EN 10111) S275 Structural Steel EN 10025 in 5mm and 6mm plate thickness.

Manufactured in a range of specifications (see table below), the dished ends are suitable for agricultural and commercial applications such as slurry tankers or oil tankers.

Outside Diameter		Crown Radius		Inside Knuckle Radius		Depth of End	Weight	Plate Thickness	Capacity of Dished End	End Code
Inches	mm	Inches	mm	Inches	mm	mm	Kg	mm	Litres	Code
18	460	18	457	1.25	32	98	8.5	5	9	18SP5MM
20	518	20	508	1.25	32	82	10.5	5	11	20SP5MM
24	595	24	610	1.5	38	140	14.5	5	25	24SP5MM
30	773	30	762	2	51	160	21	5	39	30SP5MM
43	1103	43	1092	2.5	64	175	42	5	89	43SP5MM
48	1226	48	1219	3	76	260	54	5	165	48SP5MM
54	1382	54	1372	3.25	82	250	67	5	210	54SP5MM
60	1530	60	1524	3.75	96	275	85	5	255	60SP5MM
66	1680	66	1676	4	102	315	122	6	264	66SP6MM
68	1728	68	1738	4	102	315	128	6	413	68SP6MM
72	1830	72	1829	4.5	115	350	145	6	501	72SP6MM
78	1990	126	3200	3	76.2	220	166	6	375	78SP6MM
98	2500	98	2500	3.3	85	405	255	6	1260	2.5MSP6MM

Circumference Tolerances + / - 6mm

Kingspan Titan Ireland

Dundalk Road, Carrickmacross, Co Monaghan, Ireland

Tel: 1890 201690 Fax: +353 (0) 42 969 0030

Email: irelandsales@kingspan.com

or visit: www.kingspantitan.com

